

MedDRA Distribution File Format Document Version 26.1

September 2023 000981



ACKNOWLEDGEMENTS

MedDRA® trademark is registered by ICH.

COSTART Thesaurus Fifth Edition, Copyright © 1995 US Food and Drug Administration (FDA). Hoechst Adverse Reaction Terminology System (HARTS), Copyright © 1992 Aventis Pharma. ICD-9-CM, International Classification of Diseases, Ninth Revision, Clinical Modification, Copyright© 1998 Medicode, Inc. ICD-10, Source: World Health Organization. WHO Adverse Reaction Terminology (WHO-ART), Copyright © 1998 World Health Organization Collaborating Centre for International Drug Monitoring. Japanese Adverse Reaction Terminology (J-ART) is a product of the Ministry of Health, Labour and Welfare (MHLW).

Disclaimer and Copyright Notice

This document is protected by copyright and may, with the exception of the MedDRA and ICH logos, be used reproduced, incorporated into other works, adapted, modified, translated or distributed under a public license provided that ICH's copyright in the document is acknowledged at all times. In case of any adaption, modification or translation of the document, reasonable steps must be taken to clearly label, demarcate or otherwise identify that changes were made to or based on the original document. Any impression that the adaption, modification or translation of the original document is endorsed or sponsored by the ICH must be avoided.

The document is provided "as is" without warranty of any kind. In no event shall the ICH or the authors of the original document be liable for any claim, damages or other liability arising from the use of the document.

The above-mentioned permissions do not apply to content supplied by third parties. Therefore, for documents where the copyright vests in a third party, permission for reproduction must be obtained from this copyright holder.

Table of Contents

TABLE OF CONTENTS	
1. INTRODUCTION	1
2. GENERAL FILE INFORMATION	
3. MedDRA SCHEMA	4
4. TABLE DEFINITION	
5. TABLE JOINS	
6. DATA MODEL	
7. CONSECUTIVE FILE INFORMATION	
8. MedDRA CONSECUTIVE FILE DESCRIPTIONS	15
9. CONSECUTIVE FIELD DEFINITIONS	19
LIST OF FIGURES	
Figure 6-1. MedDRA Data Model	13
LIST OF TABLES	
Table 2-1. MedDRA Files	2
Table 2-2. MedDRA History File: meddra_history_english.asc	3
Table 2-3. MedDRA Release File: meddra_release.asc	
Table 3-1. 1_low_level_term Derived from MedDRA file: Ilt.asc.	
Table 3-2. 1_pref_term Derived from MedDRA file: pt.asc	
Table 3-4. 1_hlt_pref_comp Derived from MedDRA file: hlt_pt.a	
Table 3-5. 1_hlgt_pref_term Derived from MedDRA file: hlgt.asc	
Table 3-6. 1_hlgt_hlt_comp Derived from MedDRA file: hlgt_hlt	.asc6
Table 3-7. 1_soc_term Derived from MedDRA file: soc.asc	6
Table 3-8. 1_soc_hlgt_comp Derived from MedDRA file: soc_hlg	
Table 3-9. 1_md_hierarchy Derived from MedDRA file: mdhier.a	
Table 3-10. 1_soc_intl_order Derived from MedDRA file: intl_or	
Table 3-11. 1_smq_list Derived from MedDRA file: smq_list.asc	
Table 3-12. 1_smq_Content Derived from MedDRA file: smq_co	
Table 4-1. Field Definitions in MedDRA Files	
Table 7-1. MedDRA Consecutive Files	
Table 8-1. MedDRA Consecutive File: Ilt.seq	
Table 8-2. MedDRA Consecutive File: pt.seq	
Table 8-3. MedDRA Consecutive File: hlt.seq	
Table 8-4. MedDRA Consecutive File: hlt_pt.seq	
Table 8-5. MedDRA Consecutive File: hlgt.seq	
Table 8-6. MedDRA Consecutive File: hlgt_hlt.seq	17

Table of Contents

Table 8-7.	MedDRA Consecutive File: soc.seq	. 17
	MedDRA Consecutive File: soc_hlgt.seq	
	MedDRA Consecutive File: mdhier.seq	
	MedDRA Consecutive File: intl_ord.seq	
	Field Definitions in Consecutive Files	

1. INTRODUCTION

The MedDRA Distribution File Format Document contains information regarding the MedDRA file schema and the Consecutive files which may be used to upgrade an existing installation to the current version of MedDRA. This document will support the user in creating and populating a relational database with the MedDRA and Consecutive files. Users of this document should have some knowledge of relational databases to successfully import the MedDRA data to a usable database format.

The first section of this document contains the following information about the MedDRA files:

- General File Information Overview of the MedDRA files included in this package
- The MedDRA Schema Information on the structure and attributes of the MedDRA tables to be imported to the relational database
- MedDRA Table Definition Definition of each field in the MedDRA database tables
- MedDRA Table Joins Definition of the table joins necessary to associate the MedDRA database tables with each other
- MedDRA Data Model The complete data model for the MedDRA database.

The second section of this document contains information about the MedDRA Consecutive files including:

- General File Information overview of the MedDRA consecutive files
- The MedDRA Consecutive File Description information on the structure and attributes of the consecutive files
- Field Definitions definitions of each field in each consecutive file.

Note: The SMQ files (smq_list and smq_content) contain data elements within the *.asc files that identify changes resulting from MedDRA version updates. See Section 3 MedDRA Schema for more details.

Prior to MedDRA Version 16.0, this document was named the "ASCII and Consecutive File Documentation". The name was changed to the "MedDRA Distribution File Format Document" to better reflect the contents of the document as not all translations of MedDRA are encoded with the extended ASCII format.

2. GENERAL FILE INFORMATION

This section lists the MedDRA data files in this package. Each MedDRA file is in extended ASCII format for English and most of the Western European language translations. All other supported languages use UTF-8 file format. Table 2-1 lists the MedDRA files and associated tables. The record counts for the files in Table 2-1 for a given release may be found in the corresponding "What's New" document for that release.

File Name ¹	MedDRA Table
hlgt.asc	1_hlgt_pref_term
hlgt_hlt.asc	1_hlgt_hlt_comp
hlt.asc	1_hlt_pref_term
hlt_pt.asc	1_hlt_pref_comp
llt.asc	1_low_level_term
meddra_history_english.asc	N/A*
meddra_release.asc	N/A*
mdhier.asc	1_md_hierarchy
pt.asc	1_pref_term
soc.asc	1_soc_term
soc_hlgt.asc	1_soc_hlgt_comp
intl_ord.asc	1_soc_intl_order
smq_list.asc	1_smq_list
smq_content.asc	1_smq_content

Table 2-1. MedDRA Files

Data fields in the files appear in the same order as indicated in the MedDRA Schema (Section 3) for each table. Data is delimited by "\$." There is no "\$" at the beginning of the first field, however, there is a "\$" after the last field.

*The meddra_history_english.asc and meddra_release.asc files are optional files for use with the MedDRA Desktop Browser (MDB) release 3.0.2 Beta and up. These files are not part of the MedDRA schema.

The meddra_history_english.asc file contains information that allows the MDB to display the history of term addition, term deletion, term level change, term name change, and LLT currency change in MedDRA. When new versions of MedDRA are released, the history data may be used to update the MDB to keep up with new changes. The history function is available in MDB Beta 3.0.2 for English MedDRA only. Newer MDB versions support all available languages. The history file contains a field for the MedDRA code, the term name, what version (e.g., 10.1) the term was added, the type of term (e.g., PT, HLGT), its currency status if it is an LLT, and an action code. The action code can be either A (Add), U (Update), or D (Delete). See the table below.

¹Record counts for the files above may be found in the "What's New" document.

Field Name	Field Attributes
term_code	long integer, not null
term_name	char (100), not null
term_addition_version	char(5), not null
term_type	char (4), not null
Ilt_currency	char (1)
action	char (1), not null

Table 2-2. MedDRA History File: meddra_history_english.asc

The meddra_release.asc file contains version and language information for the accompanying set of files that allows the MDB (Beta version 3.0.2 and up) to identify a specific version and language when loading the files. Specifically, there is a field for the MedDRA version (e.g., 13.1), one for the language (e.g., English, German, etc.) and three null fields reserved for future use. See the table below.

Field Name	Field Attributes
version	char (100), not null
language	char (100), not null
null_field	char (100)
null_field	char (100)
null_field	char (100)

Table 2-3. MedDRA Release File: meddra_release.asc

3. MedDRA SCHEMA

This section presents table and field information used for importing the MedDRA data to a relational database. Table Name, Field Names, Field Attributes, and Table Indexes are provided for each MedDRA table. When importing the MedDRA data to a relational database, create each table listed below and assign all field names and attributes indicated. Field names should be applied in the order in which they appear in the file. Indexes are also provided but may not be necessary depending on the software package used.

Field Name		Field Attribute	s
Ilt_code		long integer, no	t null
Ilt_name		char (100), not	null
pt_code		long integer	
Ilt_whoart_code+		char (7)	
Ilt_harts_code+		long integer	
<pre>Ilt_costart_sym⁺</pre>		char (21)	
Ilt_icd9_code+		char (8)	
Ilt_icd9cm_code+		char (8)	
Ilt_icd10_code+		char (8)	
Ilt_currency		char (1)	
Ilt_jart_code+		char (6)	
Index Name	Table Name		Field(s) to Index
ix1_pt_llt01	1_low_level_term		Ilt_code
ix1_pt_llt02	1_low_level_term		Ilt_name
ix1_pt_llt03	1_low_level_term		pt_code

Table 3-1. 1_low_level_term Derived from MedDRA file: Ilt.asc

*Note: As of MedDRA v15.0 these fields contain no data. See section 4 for details.

Field Name		Field Attribute	s
pt_code		long integer, no	ot null
pt_name		char (100), not null	
null_field		char (1)	
pt_soc_code		long integer	
pt_whoart_code ⁺		char (7)	
pt_harts_code+		long integer	
pt_costart_sym ⁺		char (21)	
pt_icd9_code+		char (8)	
pt_icd9cm_code ⁺		char (8)	
pt_icd10_code+		char (8)	
pt_jart_code ⁺		char (6)	
Index Name	Table Name		Field(s) to Index
ix1_pt01	1_pref_term	·	pt_code
ix1_pt02	1_pref_term	·	pt_name
ix1_pt03	1_pref_term	·	pt_soc_code

Table 3-2. 1 pref term Derived from MedDRA file: pt.asc

*Note: As of MedDRA v15.0 these fields contain no data. See section 4 for details.

Field Name		Field Attribute	s
hlt_code		long integer, no	ot null
hlt_name		char (100), not	null
hlt_whoart_code+		char (7)	
hlt_harts_code+		long integer	
hlt_costart_sym+		char (21)	
hlt_icd9_code+		char (8)	
hlt_icd9cm_code+		char (8)	
hlt_icd10_code+		char (8)	
hlt_jart_code+		char (6)	
Index Name	Table Name		Field(s) to Index
ix1_hlt01	1_hlt_pref_term	1	Hlt_code
ix1_hlt02	1_hlt_pref_term	1	Hlt_name

Table 3-3. 1_hlt_pref_term Derived from MedDRA file: hlt.asc

⁺Note: As of MedDRA v15.0 these fields contain no data. See section 4 for details.

Field Name		Field Attribute	s
hlt_code		long integer, not null	
pt_code		long integer, not null	
Index Name	Table Name		Field(s) to Index
ix1_hlt_pt01	1_hlt_pref_comp		Hlt_code,pt_code
ix1_hlt_pt02	1_hlt_pref_comp		Pt_code, hlt_code

Table 3-4. 1_hlt_pref_comp Derived from MedDRA file: hlt_pt.asc

Field Name		Field Attribute	s	
hlgt_code		long integer, no	ot null	
hlgt_name		char (100), not	null	
hlgt_whoart_code+		char (7)		
hlgt_harts_code+		long integer		
hlgt_costart_sym+		char (21)		
hlgt_icd9_code+		char (8)		
hlgt_icd9cm_code+		char (8)		
hlgt_icd10_code+		char (8)		
hlgt_jart_code+		char (6)		
Index Name	Table Name		Field(s) to Index	
ix1_hlgt01	1_hlgt_pref_term		Hlgt_code	
ix1_hlgt02	1_hlgt_pref_term		Hlgt_name	

Table 3-5. 1_hlgt_pref_term Derived from MedDRA file: hlgt.asc

*Note: As of MedDRA v15.0 these fields contain no data. See section 4 for details.

Field Name	Field A	ttributes	
hlgt_code	long int	eger, not null	
hlt_code		long integer, not null	
Index Name	Table Name	Field(s) to Index	
ix1_hlgt_hlt01	1_hlgt_hlt_comp	Hlgt_code, hlt_code	
ix1_hlgt_hlt02	1_hlgt_hlt_comp	Hlt_code, hlgt_code	

Table 3-6. 1_hlgt_hlt_comp Derived from MedDRA file: hlgt_hlt.asc

Field Name		Field Attribute	s
soc_code		long integer, no	ot null
soc_name		char (100), not null	
soc_abbrev		char (5), not null	
soc_whoart_code+		char (7)	
soc_harts_code+		long integer	
soc_costart_sym+		char (21)	
soc_icd9_code+		char (8)	
soc_icd9cm_code+		char (8)	
soc_icd10_code+		char (8)	
soc_jart_code ⁺		char (6)	
Index Name	Table Name		Field(s) to Index
ix1_soc01	1_soc_term	·	Soc_code
ix1_soc02	1_soc_term	<u>-</u>	Soc_name

Table 3-7. 1_soc_term Derived from MedDRA file: soc.asc

^{*}Note: As of MedDRA v15.0 these fields contain no data. See section 4 for details.

Field Name		Field Attribute	S
soc_code		long integer, no	t null
hlgt_code		long integer, not null	
Index Name	Table Name		Field(s) to Index
ix1_soc_hlgt01	1_soc_hlgt_cor	np	Soc code, hlgt_code
ix1_soc_hlgt02	1_soc_hlgt_comp		Soc_code
ix1_soc_hlgt03	1_soc_hlgt_comp		Hlgt_code, soc_code

Table 3-8. 1_soc_hlgt_comp Derived from MedDRA file: soc_hlgt.asc

Field Name		Field Attribute	s
pt_code		long integer, no	t null
hlt_code		long integer, no	t null
hlgt_code		long integer, no	t null
soc_code		long integer, no	
pt_name		char (100), not	null
hlt_name		char (100), not	null
hlgt_name		char (100), not	
soc_name		char (100), not null	
soc_abbrev		char (5), not null	
_null_field		char (1)	
pt_soc_code		long integer	
primary_soc_fg		char (1)	
Index Name	Table Name		Field(s) to Index
ix1_md_hier01	1_md_hierarch	У	Pt_code
ix1_md_hier02	1_md_hierarch		Hlt_code
ix1_md_hier03	1_md_hierarch	y	Hlgt_code
ix1_md_hier04	1_md_hierarch	y	Soc_code
ix1_md_hier05	1_md_hierarch	y	Pt_soc_code

Table 3-9. 1_md_hierarchy Derived from MedDRA file: mdhier.asc

Field Name		Field Attribute	S
intl_ord_code		long integer, no	t null
soc_code		long integer, no	t null
Index Name	Table Name		Field(s) to Index
ix1_intl_ord01	1_soc_intl_orde	er	intl_ord_code, soc_code

Table 3-10. 1_soc_intl_order Derived from MedDRA file: intl_ord.asc

Field Name		Field Attri	butes
smq_code		Long integ	er, not null
smq_name		Char (100)	, not null
smq_level		Integer, no	t null
smq_description		VarChar*,	not null
smq_source		VarChar*	
smq_note		VarChar*	
MedDRA_version		Char (5), n	ot null
status		Char (1), n	ot null
smq_algorithm		VarChar, n	ot null
Index Name	Table Name		Field(s) to Index
ix1_smq_list01	1_smq_list		smq_code

Table 3-11. 1_smq_list Derived from MedDRA file: smq_list.asc

*Note: The maximum field length of the variable character (VarChar) field is 2000 characters.

Field Name		Field Attri	butes
smq_code		Long integ	er, not null
term_code		Long integ	er, not null
term_level		Integer, no	t null
term_scope		Integer, no	t null
term_category		Char (1), n	ot null
term_weight		Integer, no	t null
term_status		Char (1), n	ot null
term_addition_version		Char (5), n	ot null
term_last_ modified_version		Char (5), n	ot null
Index Name	Table Name		Field(s) to Index
ix1_smq_content01	1_smq_content		smq_code
ix1_smq_content02	1_smq_content	·	term_code

Table 3-12. 1_smq_Content Derived from MedDRA file: smq_content.asc

4. TABLE DEFINITION

This section defines the fields in each MedDRA table.

Table Name	Field Name	Description
1_low_level_term	Ilt_code	8-digit code to identify the Lowest Level Term
	Ilt_name	Full name of the Lowest Level Term
	pt code	8-digit code to identify the Preferred Term
	Ilt_whoart_code+	Code allocated by the WHO-ART© terminology
	Ilt_harts_code+	Code allocated by the HARTS© terminology
	Ilt_costart_sym+	Symbol allocated by the COSTART© terminology
	Ilt icd9 code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, ICD-9
	Ilt icd9cm code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical
		Modification, ICD-9-CM©
	Ilt_icd10_code+	Code allocated by the 10 th Revision of the
		International Classification of Diseases, ICD-10©
	Ilt_currency	Indicates whether the Lowest Level Term is current
	-	or non-current
	Ilt_jart_code+	Code allocated by the J-ART terminology
1_pref_term	pt_code	8-digit code to identify the Preferred Term
	pt_name	Full name of the Preferred Term
	null_field	This field is null
	pt_soc_code	The primary System Organ Class to which the
		Preferred Term is linked
	pt_whoart_code+	Code allocated by the WHO-ART terminology
	pt_harts_code+	Code allocated by the HARTS terminology
	pt_costart_sym+	Symbol allocated by the COSTART terminology
	pt_icd9_code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases
	pt_icd9cm_code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical
		Modification
	pt_icd10_code+	Code allocated by the 10 th Revision of the
		International Classification of Diseases
	pt_jart_code+	Code allocated by the J-ART terminology
1_hlt_pref_term	hlt_code	8-digit code to identify the High Level Term
	hlt_name	Full name of the High Level Term
	hlt_whoart_code+	Code allocated by the WHO-ART terminology
	hlt_harts_code+	Code allocated by the HARTS terminology
	hlt_costart_sym+	Symbol allocated by the COSTART terminology
	hlt_icd9_code+	Code allocated by the by the 9 th Revision of the
	lelt ieelOeer verlei	International Classification of Diseases
	hlt_icd9cm_code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical Modification
	hlt_icd10_code+	Code allocated by the 10 th Revision of the
		International Classification of Diseases
	hlt_jart_code+	Code allocated by the J-ART terminology
1_hlt_pref_comp	hlt_code	8-digit code to identify the High Level Term
	pt_code	8-digit code to identify the Preferred Term
1_hlgt_pref_term	hlgt_code	8-digit code to identify the High Level Group Term

Table Definition

Table Name	Field Name	Description
-	hlgt name	Full name of the High Level Group Term
	hlgt_whoart_code+	Code allocated by the WHO-ART terminology
	hlgt_harts_code+	Code allocated by the HARTS terminology
	hlgt_costart_sym+	Symbol allocated by the COSTART terminology
	hlgt_icd9_code+	Code allocated by the 9 th Revision of the
	gg.	International Classification of Diseases
	hlgt_icd9cm_code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical Modification
	hlgt_icd10_code+	Code allocated by the 10 th Revision of the
		International Classification of Diseases
	hlgt_jart_code+	Code allocated by the J-ART terminology
1_hlgt_hlt_comp	hlgt_code	8-digit code to identify the High Level Group Term
-	hlt_code	8-digit code to identify the High Level Term
1_soc_term	soc_code	8-digit code to identify the System Organ Class
	soc_name	Full name of the System Organ Class
	soc_abbrev	System Organ Class abbreviation
	soc_whoart_code+	Code allocated by the WHO-ART terminology
	soc_harts_code+	Code allocated by the HARTS terminology
	soc_costart_sym+	Symbol allocated by the COSTART terminology
	soc_icd9_code+	Code allocated by the 9th Revision of the
		International Classification of Diseases
	soc_icd9cm_code+	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical Modification
	soc_icd10_code+	Code allocated by the 10 th Revision of the International Classification of Diseases
	soc_jart_code+	Code allocated by the J-ART terminology
1_soc_hlgt_comp	soc_code	8-digit code to identify the System Organ Class
	hlgt_code	8-digit code to identify the High Level Group Term
1_md_hierarchy	pt_code	8-digit code to identify the Preferred Term
_	hlt_code	8-digit code to identify the High Level Term
	hlgt_code	8-digit code to identify the High Level Group Term
	soc_code	8-digit code to identify the System Organ Class
	pt_name	Full name of the Preferred Term
	hlt_name	Full name of the High Level Term
	hlgt_name	Full name of the High Level Group Term
	soc_name	Full name of the System Organ Class
	soc_abbrev	System Organ Class abbreviation
	null_field	This field is null
	pt_soc_code	The primary System Organ Class to which the Preferred Term is linked
	primary_soc_fg	Flag set to Y/N to indicate Primary SOC
1_soc_intl_order	intl_ord_code	Serial code for international System Organ Class sort order
	soc_code	8-digit code to identify the System Organ Class Term
1_smq_list	smq_code	Eight-digit numeric code assigned to the SMQ, which starts with "2"
	smq_name	Name for the SMQ, each SMQ carries "(SMQ)" at the end of the name

Table Name	Field Name	Description
	smq_level	Value between 1 and 5 identifying the level of the SMQ within the hierarchy of SMQs; 1 is the most general, 5 is the most narrow
	smq_description	Description of the SMQ
	smq_source	Source for the development of the SMQ (e.g., medical references)
	smq_note	Note for users to better understand the scope and development process for the SMQ. The description of the algorithm used is included (if applicable), as well as the definition of categories
	MedDRA_version	MedDRA version to use in conjunction with this SMQ
	status	Status of the SMQ. "A" = An active SMQ; "I" = An inactive SMQ
	smq_algorithm	If the SMQ was developed for use with an algorithm, the Boolean expression of the algorithm is included. "N" if the SMQ does not utilize an algorithm
1_smq_content	smq_code	Eight-digit code assigned to the SMQ
	term_code	Subordinate term code; it could be a code for MedDRA PT, LLT, or child SMQ
	term_level	MedDRA hierarchy level of the term (4=PT, 5=LLT) or 0 (zero) for a child SMQ
	term_scope	Defines the MedDRA term as a member of the broad scope (1), narrow scope (2) of the SMQ search, or a child SMQ (0) (zero)
	term_category	The category is assigned a single alphabetical letter depending upon the algorithm applied. If the SMQ does not use algorithms, then all Term_category values are assigned "A." For a child SMQ, this field is assigned "S."
	term_weight	Term weight is used for some SMQ algorithms. "0" is used as default
	term_status	Identifies a term as active within this SMQ or inactive within this SMQ. When a term is added to an SMQ, the value is set to "A" for Active. The term can be flagged as "I" for inactive if the term is no longer used in the SMQ.
	term_addition_versi on	Identifies the version of MedDRA in which this term was added to the SMQ
	term_last_modified _version	Identifies the version of MedDRA in which this term was last modified in this SMQ

Table 4-1. Field Definitions in MedDRA Files

*Note: As of MedDRA v15.0, the data in the legacy code fields (i.e., COSTART, WHO-ART, ICD-9, ICD-9-CM, ICD-10, HARTS, and J-ART) have been removed from the MedDRA files. No MedDRA term names or MedDRA codes have been modified or removed and the structure of the MedDRA files has not changed. The removal of the codes is reflected in the consecutive files for MedDRA v15.0. A list of MedDRA terms with the removed codes is available on the MedDRA Web site (login required) for reference by MedDRA users.

5. TABLE JOINS

This section describes the table joins for the MedDRA tables developed using the MedDRA Schema. In the database, join the field listed for Table 1 to the field listed for Table 2.

Join Table 1	Join Table 2	Table 1 Field Name	Table 2 Field Name
1_hlt_pref_comp	1_pref_term	pt_code	pt_code
1_md_hierarchy	1_low_level_term	pt_code	pt_code
1_pref_term	1_low_level_term	pt_code	pt_code
1_hlgt_hlt_comp	1_hlt_pref_term	hlt_code	hlt_code
1_hlgt_hlt_comp	1_hlgt_pref_term	hlgt_code	hlgt_code
1_soc_hlgt_comp	1_hlgt_pref_term	hlgt_code	hlgt_code
1_soc_term	1_soc_hlgt_comp	soc_code	soc_code
1_md_hierarchy	1_pref_term	pt_code	pt_code
1_hlt_pref_comp	1_hlt_pref_term	hlt_code	hlt_code
1_soc_term	1_pref_term	soc_code	pt_soc_code
1_soc_intl_order	1_soc_term	soc_code	soc_code
1_smq_list	1_smq_content	smq_code	smq_code
1_smq_list	1_smq_content	smq_code	term_code
1_pref_term	1_smq_content	pt_code	term_code
1_low_level_term	1_smq_content	Ilt_code	term_code

Table 5-1. Joins between each of the files

6. DATA MODEL

The MedDRA Data Model shows all tables and table joins for a complete MedDRA database. Compare this model to the relational database created from the MedDRA Schema and Table Joins to ensure accuracy.




Figure 6-1. MedDRA Data Model

7. CONSECUTIVE FILE INFORMATION

This section lists the MedDRA consecutive files. Each consecutive file is in extended ASCII format for English and most of the Western European language translations. All other supported languages use UTF-8 file format. Table 7-1 lists the consecutive files and associated MedDRA tables. The record counts for the files in Table 7-1 for a given release may be found in the corresponding "What's New" document for that release.

File Name ¹	MedDRA Table
hlgt.seq	1_hlgt_pref_term
hlgt_hlt.seq	1_hlgt_hlt_comp
hlt.seq	1_hlt_pref_term
hlt_pt.seq	1_hlt_pref_comp
Ilt.seq	1_low_level_term
mdhier.seq	1_md_hierarchy
pt.seq	1_pref_term
soc.seq	1_soc_term
soc_hlgt.seq	1_soc_hlgt_comp
intl_ord.seq	1_soc_intl_order

Table 7-1. MedDRA Consecutive Files

¹Record counts for the files above may be found in the "What's New" document.

8. MedDRA CONSECUTIVE FILE DESCRIPTIONS

This section describes the MedDRA consecutive files. MedDRA consecutive release files contain only records that have changed since the last MedDRA release. Each file consists of records containing a version date for the new release and an action code designating that the record was either "A" – added, "D" – removed, or "M" – modified. Consecutive files can be identified by the *.seq extension to the file name. The file names match the regular consolidated MedDRA data files that are also distributed with the *.asc extension.

The "mod_fld_num" field, in the third position of each record, indicates which field(s) was modified. Only records with an action code of "M" have this field populated. For records that do not contain "M" in the action field, the "mod_fld_num" field is left empty (\$\$). Records with multiple modified fields have multiple numbers in this new field separated by a space such as (\$5 7\$).

File name, field names, and field attributes for each MedDRA consecutive file are provided below. Field definitions are provided in the next section of this document. Data fields are delimited by "\$." There is no "\$" at the beginning of the first field, however, there is a "\$" after the last field. Field names are listed in the order in which the data appears in the file. With the exception of the first three fields per file, these files have the same structure as the MedDRA data files (see Section 3. MedDRA SCHEMA in this document for more information).

Field Names	Field Attributes
Ilt_version_date	date, not null, dd/mm/yyyy
Ilt_action_code	char (1), not null
llt_mod_fld_num	char (20)
llt_code	long integer, not null
llt_name	char (100), not null
pt_code	long integer
llt_whoart_code	char (7)
llt_harts_code	long integer
llt_costart_sym	char (21)
Ilt_icd9_code	char (8)
llt_icd9cm_code	char (8)
llt_icd10_code	char (8)
llt_currency	char (1)
llt_jart_code	char (6)

Table 8-1. MedDRA Consecutive File: Ilt.seq

MedDRA Consecutive File Descriptions

Field Names	Field Attributes
pt_version_date	date, not null, dd/mm/yyyy
pt_action_code	char (1), not null
pt_mod_fld_num	char (20)
pt_code	long integer, not null
pt_name	char (100), not null
null_field	char (1)
pt_soc_code	long integer
pt_whoart_code	char (7)
pt_harts_code	long integer
pt_costart_sym	char (21)
pt_icd9_code	char (8)
pt_icd9cm_code	char (8)
pt_icd10_code	char (8)
pt_jart_code	char (6)

Table 8-2. MedDRA Consecutive File: pt.seq

Field Names	Field Attributes
hlt_version_date	date, not null, dd/mm/yyyy
hlt_action_code	char (1), not null
hlt_mod_fld_num	char (20)
hlt_code	long integer, not null
hlt_name	char (100), not null
hlt_whoart_code	char (7)
hlt_harts_code	long integer
hlt_costart_sym	char (21)
hlt_icd9_code	char (8)
hlt_icd9cm_code	char (8)
hlt_icd10_code	char (8)
hlt_jart_code	char (6)

Table 8-3. MedDRA Consecutive File: hlt.seq

Field Names	Field Attributes
h_p_version_date	date, not null, dd/mm/yyyy
h_p_action_code	char (1), not null
h_p_mod_fld_num	char (20)
hlt_code	long integer, not null
pt_code	long integer, not null

Table 8-4. MedDRA Consecutive File: hlt_pt.seq

MedDRA Consecutive File Descriptions

Field Names	Field Attributes
hlgt_version_date	date, not null, dd/mm/yyyy
hlgt_action_code	char (1)
hlgt_mod_fld_num	char (20)
hlgt_code	long integer, not null
hlgt_name	char (100), not null
hlgt_whoart_code	char (7)
hlgt_harts_code	long integer
hlgt_costart_sym	char (21)
hlgt_icd9_code	char (8)
hlgt_icd9cm_code	char (8)
hlgt_icd10_code	char (8)
hlgt_jart_code	char (6)

Table 8-5. MedDRA Consecutive File: hlgt.seq

Field Names	Field Attributes
h_h_version_date	date, not null, dd/mm/yyyy
h_h_action_code	char (1), not null
h_h_mod_fld_num	char (20)
Hlgt_code	long integer, not null
hlt_code	long integer, not null

Table 8-6. MedDRA Consecutive File: hlgt_hlt.seq

Field Names	Field Attributes
soc_version_date	date, not null, dd/mm/yyyy
soc_action_code	char (1), not null
soc_mod_fld_num	char (20)
soc_code	long integer, not null
soc_name	char (100), not null
soc_abbrev	char (5), not null
soc_whoart_code	char (7)
soc_harts_code	long integer
soc_costart_sym	char (21)
soc_icd9_code	char (8)
soc_icd9cm_code	char (8)
soc_icd10_code	char (8)
soc_jart_code	char (6)

Table 8-7. MedDRA Consecutive File: soc.seq

MedDRA Consecutive File Descriptions

Field Names	Field Attributes
s_h_version_date	date, not null, dd/mm/yyyy
s_h_action_code	char (1), not null
s_h_mod_fld_num	char (20)
soc_code	long integer, not null
hlgt_code	long integer, not null

Table 8-8. MedDRA Consecutive File: soc_hlgt.seq

Field Names	Field Attributes
md_version_date	date, not null, dd/mm/yyyy
md_action_code	char (1), not null
md_mod_fld_num	char (20)
pt_code	long integer, not null
hlt_code	long integer, not null
hlgt_code	long integer, not null
soc_code	long integer, not null
pt_name	char (100), not null
hlt_name	char (100), not null
hlgt_name	char (100), not null
soc_name	char (100), not null
soc_abbrev	char (5), not null
null_field	char (1)
pt_soc_code	long integer
primary_soc_fg	char (1)

Table 8-9. MedDRA Consecutive File: mdhier.seq

Field Names	Field Attributes
Intl_ord_version_date	date, not null, dd/mm/yyyy
Intl_ord_action_code	char (1), not null
Intl_ord_mod_fld_num	char (20)
Intl_ord_code	long integer, not null
soc_code	long integer, not null

Table 8-10. MedDRA Consecutive File: intl_ord.seq

9. CONSECUTIVE FIELD DEFINITIONS

This section defines the fields in each MedDRA consecutive file.

Ilt_version_date	Date when MedDRA version was released,
	dd/mm/yyyy
Ilt_action_code	Indicates record was added, deleted, or modified
llt_mod_fld_num	Indicates a field number for each field that is
	modified when the record contains an "M" in the
	action field of the record. Records that do not
	contain "M" in the action field will be left empty. See
	Section 8 for more information.
Ilt_code	8-digit code to identify the Lowest Level Term
	Full name of the Lowest Level Term
	8-digit code to identify the Preferred Term
Ilt_whoart_code	Code allocated by the WHO-ART© terminology
Ilt_harts_code	Code allocated by the HARTS© terminology
Ilt_costart_sym	Symbol allocated by the COSTART© terminology
Ilt_icd9_code	Code allocated by the 9 th Revision of the
	International Classification of Diseases, ICD-9©
Ilt_icd9cm_code	Code allocated by the 9 th Revision of the
	International Classification of Diseases, Clinical
	Modification, ICD-9-CM©
Ilt_icd10_code	Code allocated by the 10 th Revision of the
	International Classification of Diseases, ICD-10©
Ilt_currency	Indicates whether the Lowest Level Term is current
-	or non-current
llt_jart_code	Code allocated by the J-ART terminology
pt_version_date	Date when MedDRA version was released,
	dd/mm/yyyy
	Indicates record was added, deleted, or modified
pt_mod_fld_num	Indicates a field number for each field that is
	modified when the record contains an "M" in the
	action field of the record. Records that do not
	contain "M" in the action field will be left empty. See
	Section 8 for more information.
•	8-digit code to identify the Preferred Term
· -	Full name of the Preferred Term
	This field is null
pt_soc_code	The primary System Organ Class to which the Preferred Term is linked
nt whoart gods	
	Code allocated by the WHO-ART terminology
	Code allocated by the HARTS terminology Symbol allocated by the COSTART terminology
	Code allocated by the COSTART terminology Code allocated by the 9 th Revision of the
hr_icaa_code	International Classification of Diseases
nt icd9cm code	Code allocated by the 9 th Revision of the
pt_icusciii_code	International Classification of Diseases, Clinical
	Modification
nt icd10 code	Code allocated by the 10 th Revision of the
pt_10d 10_00d0	International Classification of Diseases
nt jart code	Code allocated by the J-ART terminology
	Ilt_code Ilt_name pt_code Ilt_whoart_code Ilt_harts_code Ilt_costart_sym Ilt_icd9_code Ilt_icd9cm_code Ilt_icd10_code Ilt_currency Ilt_jart_code

File Names	Field Names	Description
hlt.seq	hlt_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	hlt_action_code	Indicates record was added, deleted, or modified
	hlt_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
		Section 8 for more information.
	hlt_code	8-digit code to identify the High Level Term
	hlt_name	Full name of the High Level Term
	hlt_whoart_code	Code allocated by the WHO-ART terminology
	hlt_harts_code	Code allocated by the HARTS terminology
	hlt_costart_sym	Symbol allocated by the COSTART terminology
	hlt_icd9_code	Code allocated by the 9 th Revision of the
		International Classification of Diseases
	hlt_icd9cm_code	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical
		Modification
	hlt_icd10_code	Code allocated by the 10 th Revision of the
		International Classification of Diseases
	hlt_jart_code	Code allocated by the J-ART terminology
hlt_pt.seq	h_p_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	h_p_action_code	Indicates record was added, deleted, or modified
	h_p_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
		Section 8 for more information.
	hlt_code	8-digit code to identify the High Level Term
	pt_code	8-digit code to identify the Preferred Term
hlgt.seq	hlgt_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	hlgt_action_code	Indicates record was added, deleted, or modified
	hlgt_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
	List as Is	Section 8 for more information.
	hlgt_code	8-digit code to identify the High Level Group Term
	hlgt_name	Full name of the High Level Group Term
	hlgt_whoart_code	Code allocated by the WHO-ART terminology
	hlgt_harts_code	Code allocated by the HARTS terminology
	hlgt_costart_sym	Symbol allocated by the COSTART terminology
	hlgt_icd9_code	Code allocated by the 9 th Revision of the
	hint in IC	International Classification of Diseases
	hlgt_icd9cm_code	Code allocated by the 9 th Revision of the
		International Classification of Diseases, Clinical
	11.0 1 140	Modification
	hlgt_icd10_code	Code allocated by the 10 th Revision of the
		International Classification of Diseases
	hlgt_jart_code	Code allocated by the J-ART terminology

File Names	Field Names	Description
hlgt_hlt.seq	h_h_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	h_h_action_code	Indicates record was added, deleted, or modified
	h_h_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
		Section 8 for more information.
	hlgt_code	8-digit code to identify the High Level Group Term
	hlt_code	8-digit code to identify the High Level Term
soc.seq	soc_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	soc_action_code	Indicates record was added, deleted, or modified
	soc_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
	222 2242	Section 8 for more information.
	soc_code	8-digit code to identify the System Organ Class
	soc_name	Full name of the System Organ Class
	soc_abbrev	System Organ Class abbreviation
	soc_whoart_code	Code allocated by the WHO-ART terminology
	soc_harts_code	Code allocated by the HARTS terminology
	soc_costart_sym	Symbol allocated by the COSTART terminology
	soc_icd9_code	Code allocated by the 9 th Revision of the International Classification of Diseases
	and ind0om and	
	soc_icd9cm_code	Code allocated by the 9 th Revision of the International Classification of Diseases, Clinical
		Modification
	soc_icd10_code	Code allocated by the 10 th Revision of the
	300_10410_0040	International Classification of Diseases
	soc_jart_code	Code allocated by the J-ART terminology
soc_hlgt.seq	s_h_version_date	Date when MedDRA version was released,
gcq	5	dd/mm/yyyy
	s_h_action_code	Indicates record was added, deleted, or modified
	s_h_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
		Section 8 for more information.
	soc_code	8-digit code to identify the System Organ Class
	hlgt_code	8-digit code to identify the High Level Group Term
md_hier.seq	md_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	md_action_code	Indicates record was added, deleted, or modified
	md_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains a "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty. See
		Section 8 for more information.
	pt_code	8-digit code to identify the Preferred Term
	hlt_code	8-digit code to identify the High Level Term
	hlgt_code	8-digit code to identify the High Level Group Term

File Names	Field Names	Description
	soc_code	8-digit code to identify the System Organ Class
	pt_name	Full name of the Preferred Term
	hlt_name	Full name of the High Level Term
	hlgt_name	Full name of the High Level Group Term
	soc_name	Full name of the System Organ Class
	soc_abbrev	System Organ Class abbreviation
	null_field	This field is null
	pt_soc_code	The primary System Organ Class to which the
		Preferred Term is linked
	primary_soc_fg	Flag set to Y/N to indicate Primary SOC
Intl_ord.seq	intl_ord_version_date	Date when MedDRA version was released,
		dd/mm/yyyy
	Intl_ord_action_code	Indicates record was added, deleted, or modified
	Intl_ord_mod_fld_num	Indicates a field number for each field that is
		modified when the record contains an "M" in the
		action field of the record. Records that do not
		contain "M" in the action field will be left empty
	intl_ord_code	Serial code for international SOC sort order
	soc_code	8-digit code to identify the System Organ Class

Table 9-1. Field Definitions in Consecutive Files